

Tork Advanced Hand Towel Roll Soft



voordeel

- · Gereduceerd verbruik
- · Ggeschikt voor drukbezochte sanitaire
- · Optimale hygiëne

voordeel

- 1 handdoek per keer
- Op maat gesneden handdoeken
- · Geen contact met de dispenser



150 m











producteigenschappen

artikel	syste	em	Rollengte	Rolbreedte		Binnenste diameter van kern	Lagen	Print	Reliëf	Kleur
290067	H1 - Hand syste	doek rol em	150 m	21 cm	19 cm	3.8 cm	2	nee	ja	Wit

Tork Advanced Hand Towel Roll Soft

verzendgegevens

consumentenunit

EAN	7322540138597		
stuks	1		
materiaal	Banderole		
hoogte	210 mm		
breedte	190 mm		
lengte	190 mm		
volume	7.6 dm3		
nettogewicht	1307 g		
brutogewicht	1335 g		

pallet

EAN	7322540138603		
stuks	168		
consumentenunit s	168		
hoogte	1879 mm		
breedte	800 mm		
lengte	1200 mm		
volume	1.6 dm3		
nettogewicht	219.58 kg		
brutogewicht	240.44 kg		

transportunit

EAN	7322540138719		
stuks	6		
consumentenunit s	6		
materiaal	Carton		
hoogte	247 mm		
breedte	388 mm		
lengte	588 mm		
volume	56.4 dm3		
nettogewicht	7.84 kg		
brutogewicht	8.59 kg		



Tork Advanced Hand Towel Roll Soft

milieu

Content

The fibre composition in the product is virgin and recycled

Material

Virgin fibres and recovered paper

In the tissue process both virgin fibres and recovered paper are being used. In the process it is a matter of finding an efficient solution where both virgin fibres and recovered paper play a role. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. Bleaching of fibres Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are:Wetstrength agentDry strength agentDye Fixing agentsFluorescent whitening agentGlueSoftenersThe process chemicals are:AntipitchProtection agentYankee coatingDefoamerDispersing agents and surfactantspH and charge controlRetention aidsBroke treatment chemicalsDrainage aidPackaging Fulfillment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental labelEcolabelThis product does not have an ecolabel Date of issue 2006-06-12

Revision date 2010-03-12

ProductionThis product is produced at Kostheim mill, Germany.Kostheim mill is certified according to ISO 14001 and EMAS.

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste. The packaging can be used for material recovery or energy recovery

