



Tork Advanced Hand Towel Zigzag Fold Flushable



voordeel

- Tussentijds bij te vullen
- Besparend in gebruik
- Gecontroleerd verbruik

voordeel

- Uitgevouwen handdoeken
- Traditioneel systeem
- Handdoekje-voor-handdoekje



producteigenschappen

artikel	systeem	Uitgevouwen lengte	Uitgevouwen breedte	Gevouwen lengte	Gevouwen breedte	Lagen	Print	Reliëf	Kleur
290170	H3 - C-gevouwen en ZZ-gevouwen systeem	23 cm	23 cm	11.5 cm	23 cm	2	nee	ja	Wit



Tork Advanced Hand Towel Zigzag Fold Flushable

verzendgegevens

consumentenunit

EAN	7322540373479
stuks	214
materiaal	Banderole
hoogte	130 mm
breedte	230 mm
lengte	115 mm
volume	3.4 dm ³
nettogewicht	498 g
brutogewicht	505 g

pallet

EAN	7322540373486
stuks	89880
consumentenunits	420
hoogte	1844 mm
breedte	800 mm
lengte	1200 mm
volume	1.6 dm ³
nettogewicht	209.16 kg
brutogewicht	229.24 kg

transportunit

EAN	7322540373509
stuks	3210
consumentenunits	15
materiaal	Carton
hoogte	242 mm
breedte	406 mm
lengte	596 mm
volume	58.6 dm ³
nettogewicht	7.47 kg
brutogewicht	8.19 kg



Tork Advanced Hand Towel Zigzag Fold Flushable

milieu

Content

Virgin pulp, fibres, Chemicals

Material

Virgin fibre Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material. Bleaching of fibres Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free) (where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view. The used functional chemicals are: Dry strength agent Dye Fixing agents Fluorescent whitening agent Glue Softeners The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = Ecolabel This product does not have any ecolabel

Date of issue 2007-04-10

Revision date 2010-03-12

Production

Material produced at Mannheim mill and product converted at Kostheim mill, Germany, certified according to ISO 9001:2000, ISO 14001 and EMAS

Destruction

This product is suitable to be taken care of in the normal sewage system of the community.