



Tork Universal Hand Towel C Fold, H3 system



voordeel

- Tussentijds bij te vullen
- Optimale hygiëne
- Dispenser hoeft nooit leeg te raken

voordeel

- Traditioneel systeem
- Extra lange handdoekjes
- Makkelijk meerdere tegelijkertijd te nemen



producteigenschappen

artikel	systeem	Uitgevouwen lengte	Uitgevouwen breedte	Gevouwen lengte	Gevouwen breedte	Lagen	Print	Reliëf	Kleur
290248	H3 - C-gevouwen en ZZ-gevouwen systeem	31 cm	25 cm	10 cm	25 cm	1	nee	ja	Wit

verzendgegevens

consumentenunit

EAN	7310791057507
stuks	160
materiaal	Banderole
hoogte	100 mm
breedte	100 mm
lengte	250 mm
volume	2.5 dm ³
nettogewicht	564 g
brutogewicht	571 g

pallet

EAN	7322540197570
stuks	89600
consumentenunits	560
hoogte	1984 mm
breedte	800 mm
lengte	1200 mm
volume	1.8 dm ³
nettogewicht	315.95 kg
brutogewicht	334.96 kg

transportunit

EAN	7310791057514
stuks	3200
consumentenunits	20
materiaal	Carton
hoogte	262 mm
breedte	401 mm
lengte	596 mm
volume	62.6 dm ³
nettogewicht	11.28 kg
brutogewicht	11.96 kg



milieu

Content

Recycled fibres, Chemicals

Material

Recycled fibres Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. Bleaching of fibres Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view. The used functional chemicals are: Wet strength agent Dry strength agent Dye = if coloured Fixing agents Fluorescent whitening agent Glue = if used The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = Ecolabel This product does not have any ecolabel.

Date of issue 2007-11-06

Revision date 2009-07-23

Production

This product is produced at Kostheim mill, Germany, and certified according to ISO 9001:2000, ISO 14001 and EMAS.

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste.