

TORK Tork Advanced Hand Towel C Fold



voordeel

- Tussentijds bij te vullen
- · Optimale hygiëne
- Dispenser hoeft nooit leeg te raken

voordeel

- Traditioneel systeem
- · Extra lange handdoekjes
- Makkelijk meerdere tegelijkertijd te nemen







producteigenschappen

artikel	systeem		Uitgevouwen breedte	Gevouwen lengte	Gevouwen breedte	Lagen	Reliëf	Kleur
290275	H3 - C- gevouwen en ZZ-gevouwen systeem	49.6 cm	25 cm	10 cm	25 cm	2	ja	Wit

verzendgegevens

consumentenunit

EAN	7310791047874		
stuks	70		
materiaal	Banderole		
hoogte	100 mm		
breedte	100 mm		
lengte	250 mm		
volume	2.5 dm3		
nettogewicht	359 g		
brutogewicht	366 g		

pallet

EAN	7322540144307	
stuks	39200	
consumentenunit s	560	
hoogte	1984 mm	
breedte	800 mm	
lengte	1200 mm	
volume	1.8 dm3	
nettogewicht	201.26 kg	
brutogewicht	220.08 kg	

transportunit

EAN	7310791047881		
stuks	1400		
consumentenunit s	20		
materiaal	Carton		
hoogte	262 mm		
breedte	401 mm		
lengte	596 mm		
volume	62.6 dm3		
nettogewicht	7.19 kg		
brutogewicht	7.86 kg		

milieu

Content

Recycled fibres, Chemicals

Material

Recycled fibresRecovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. Bleaching of fibresBleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are:Wetstrength agentDry strength agentDye = if colouredFixing agentsFluorescent whitening agentGlue = if usedThe process chemicals are:AntipitchProtection agentYankee coatingDefoamerDispersing agents and surfactantspH and charge controlRetention aidsBroke treatment chemicalsDrainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): YesEnvironmental label = EcolabelThis product is approved for Blue Angel.

Date of issue 2007-11-06

Revision date 2009-07-23

Production

This product is produced at Kostheim mill, Germany, and certified according to ISO 9001:2000, ISO 14001 and EMAS.

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste.